

PRODUCT

CATALOG 2024

GOLF RANGE
EQUIPMENT & ACCESSORIES

**SERVING
GOLFERS**
since 1986



RANGE SERVANT®



Swedish craftsmanship since 1986

THE COMPANY

Founded in Halmstad, Sweden in 1986, Range Servant's founder, Jordan Knez, saw a need to improve equipment for the golf industry. Using sustainability and durability as guiding principles, he combined his enthusiasm for golf and technical expertise to develop Sweden's first ball dispensers, washers, and ball pickers. In the early 90's, Range Servant expanded to the United States and developed a distributor network around the world. In 2023 we also expanded into the UK with our own company. Range Servant handles billions of balls annually and are considered the market leader in driving range equipment.


TABLE OF CONTENTS

| | |
|-------------------------------|----|
| Range Servant | 2 |
| Ball Dispensers | 4 |
| Ball Pickers | 6 |
| Smart Range - RSConnect | 9 |
| Cleaning | 10 |
| Ball Management Systems | 12 |
| Tee Box Bay Dispensers | 18 |
| Project Management | 20 |
| Price Indications | 21 |
| Accessories | 22 |
| Social Media | 25 |
| Payment Solutions | 26 |
| Common Spare Parts | 28 |
| Customers | 31 |
| Partners | 32 |
| Sales Staff & Support | 33 |
| Distributors..... | 34 |

THE BUSINESS

Range Servant produces and sells driving range equipment and solutions that manage the picking, washing, dispensing, and overall handling of golf balls. Each customer is unique, and we are always happy to assist with technical support, spare parts, installation, and project management. Range Servant offers a wide variety of accessories to round out a complete catalog of high-quality range equipment.

Maximizing efficiency and profits for driving ranges worldwide.





Unleash
YOUR VISION
with us!

ONE-STOP PARTNER

At Range Servant, we understand that envisioning, planning, and executing a top-tier driving range requires careful consideration and the right partnerships. As your one-stop partner, we offer a comprehensive suite of services that caters to every aspect of your driving range needs. From conceptualization to realization, we are here to guide you through the entire process.

IDEA

Before delving into the details of planning your driving range, consider reaching out to us first. Our team members at Range Servant understand the perplexity of creating exceptional golf experiences. By collaborating with us from the outset, you tap into a wealth of knowledge and expertise that can shape your ideas into a strategically planned, state-of-the-art driving range.

OUR NETWORK

Range Servant takes pride in our extensive network of partners who specialize in various facets of driving range development. Whether you're looking for cutting-edge entertainment solutions, robotic ball-picking systems, advanced booking platforms, artificial turf, or innovative

lighting designs, we have you covered. Our network comprises industry leaders, ensuring that you have access to the latest technologies and trends to make your driving range stand out.

PROJECT MANAGEMENT

Embarking on a project with Range Servant means embarking on a journey where your satisfaction is our top priority. Our commitment to delivering excellence is reflected in our approach to project management. From the initial consultation to the final installation, we work closely with you to ensure that every detail aligns with your vision. Our experienced project managers are dedicated to providing you with a first-class experience, ensuring that your driving range not only meets but exceeds your expectations.

At Range Servant, we take your driving range aspirations seriously. Our goal is not just to provide equipment; it's to be your trusted partner in creating a golfing experience that captivates and delights. Contact us today, and let's transform your vision into a reality that stands out in the world of driving ranges.



SALES & MARKETING



SERVICE & SUPPORT



MANUFACTURING



R&D



BALL DISPENSERS

ULTIMA

- Precise sensor for any ball count
- Enables unlimited variations for customers
- Highly modular for easy upgrades
- Add washer and elevator for time savings
- Built with aluminum and stainless galvanized steel
- Designed for high-volume Ranges
- Extra capacity and double reliability

5 models
6 bucket sizes of any ball count
8,000-43,000 ball capacity

RSCONNECT
 included in all new Ball Dispensers*

*12 months free of charge



- DURABLE
- COST EFFECTIVE
- QUIET
- MODULAR
- CONE TOP
- SINGLE BALL DISPENSING
- FLAT TOP
- MULTI-PAYMENT COMPATIBILITY



| # | PART NO. | PRODUCT | SIZE D/W/H mm | BALL CAP. | WEIGHT kg |
|---|----------|--------------------------|-------------------|-----------|-----------|
| 1 | DKM0000 | Ultima 8, Flat top | 760/1,012/1,330 | 8,000 | 85 |
| 2 | DLM0000 | Ultima 12 | 760/1,012/2,056 | 12,000 | 90 |
| 3 | DVA0000 | Ultima 19 | 1,520/1,012/2,056 | 20,000 | 159 |
| 4 | DMM0000 | Ultima 20 dual dispenser | 760/2,022/2,056 | 20,000 | 175 |
| 5 | DNM0000 | Ultima 45 dual dispenser | 1,520/2,022/2,056 | 43,000 | 251 |

Capacity may differ depending on ball quality and filling technique.



RS

- Reliably dispenses accurate, clean, and undamaged balls
- Built with aluminum and stainless galvanized steel
- Includes a built-in sprinkler for light washing

3 models **2** colors **6** bucket sizes **5,700-11,000** ball capacity



DURABLE



COST EFFECTIVE



GRID & CRADLE SYSTEM



QUIET



FLAT TOP



BUILT-IN SPRINKLER



MULTI-PAYMENT COMPATIBILITY




| # | PART NO. | PRODUCT | SIZE D/W/H mm | BALL CAP. | WEIGHT kg |
|---|----------|---------|-------------------|-----------|-----------|
| 1 | 150010 | RS 4 | 550/1,012/1,490 | 5,700 | 89 |
| 2 | 180000 | RS 8 | 760/1,012/1,490 | 8,000 | 96 |
| 3 | 110007 | RS 11 | 1,010/1,250/1,490 | 11,000 | 132 |

BEHIND THE WALL

- Behind the Wall Dispenser for personalized golf range branding
- Chute adjusts for flush or set-back Ball Dispenser
- Volume and quality endorsed by Range Servant
- Precise ball handling and dispensing like Ultima models
- Flexible payment cabinet

4 models **6** bucket sizes of any ball count **19,000-40,000** ball capacity **∞** customization



DURABLE



COST EFFECTIVE



QUIET



MODULAR



CUSTOMIZABLE



SINGLE BALL DISPENSING



BUILT-IN



MULTI-PAYMENT COMPATIBILITY

| # | PART NO. | PRODUCT | SIZE D/W/H mm | BALL CAP. | WEIGHT kg |
|---|----------|-----------|-----------------|-----------|-----------|
| 1 | UBM0015 | BTW 10-15 | 772/1,022/2,100 | 15,000 | 110 |
| 2 | UBM0020 | BTW 20 | 772/2,031/1,500 | 19,000 | 202 |
| 3 | UBM0030 | BTW 25-30 | 772/2,031/2,100 | 28,000 | 222 |
| 4 | UBM0050 | BTW 40-45 | 772/3,050/2,100 | 40,000 | 265 |

Capacity may differ depending on ball quality and filling technique.

BALL PICKERS

Range Servant Ball Pickers are built stronger than other pickers in the same class. We use the highest quality, thick gauge aluminum and galvanized steel to ensure long-life. With the highest capacities on the market and the ability to drive in forward and reverse, our pickers stand up to the busiest ranges with the toughest terrains.

MULTIFLEX DISCS

- Highly resilient soft plastic
- Flexible and durable
- UV-protected, WARP free in all weather
- Most around, fits practically every range

RUBBER DISCS

- Most durable Range Servant disc
- Heaviest and longest lasting
- Best for ranges with solid foundation

PLASTIC DISCS

- Hard plastic
- Suitable for artificial grass, sandy or dry conditions




LIGHT

Flexible, for undulating terrain.

- Galvanized steel and aluminum construction
- In-line design allows for driving forward and in reverse
- High capacities: 1,600–4,800 balls
- Light weight flexible design
- Flotation tires for a smooth stable ride
- Multiple flex points for varied terrain

Add more sections
as your range grows




- Adaptable to any cart or vehicle
- Available with Multiflex or Plastic discs

The Light frame can be purchased in **2, 3, 4, 5 AND 6 GANG** and can be upgraded from **2 → 4, 3 → 5, and 4 → 6.**

| PART NO. | PRODUCT | DISCS | BASKETS | BALL CAP. | WEIGHT |
|----------|--------------|-----------|------------|-------------|--------|
| PDM0052 | 2-gang Light | Multiflex | 4 baskets | 1,600 balls | 115 kg |
| PDM0000 | 3-gang Light | Multiflex | 6 baskets | 2,400 balls | 156 kg |
| PDM0082 | 4-gang Light | Multiflex | 8 baskets | 3,200 balls | 200 kg |
| PDM0085 | 5-gang Light | Multiflex | 10 baskets | 4,000 balls | 218 kg |
| PDM0086 | 6-gang Light | Multiflex | 12 baskets | 4,800 balls | 350 kg |

Capacity may differ depending on ball quality and filling technique.

HEAVY DUTY BALL PICKER



HEAVY DUTY

Stiff, the most durable option.

- 100% galvanized steel construction
- In-line design allows for driving forward and in reverse
- High capacities: 2,400, 4,000, 5,600 balls
- Greasable pillow block bearings and caster fittings (HD Rubber)
- Floatation tires for a smooth stable ride
- Multiple flex points for varied terrain

- Adaptable to any cart or vehicle
- Available with Multiflex or Rubber discs

The HD frame can be purchased in **3, 5 AND 7 GANG** and can be upgraded from **3 → 5, and 5 → 7.**

| PART NO. | PRODUCT | DISCS | INFO | BASKETS | BALL CAP. | WEIGHT |
|----------|---------------------------|-----------|---------------|------------|-------------|--------|
| 310005 | 3-gang HD | Multiflex | MIDI | 6 baskets | 2,400 balls | 148 kg |
| 300000 | 3-gang HD | Rubber | MIDI | 6 baskets | 2,400 balls | 203 kg |
| 310015 | 5-gang HD | Multiflex | MAXI | 10 baskets | 4,000 balls | 265 kg |
| 300010 | 5-gang HD | Rubber | MAXI | 10 baskets | 4,000 balls | 337 kg |
| 310025 | 7-gang HD | Multiflex | JUMBO | 14 baskets | 5,600 balls | 382 kg |
| PCM0007 | Brush strip, complete kit | | Comp. with HD | | | |

Capacity may differ depending on ball quality and filling technique.

PICKER WITH HYDRAULIC EMPTYING

RANGE SERVANT®

BALL PICKERS

PICKER WITH HYDRAULIC OR MANUAL EMPTYING

- Speeds up the picking process
- Good for the overall working environment
- Emptying is maneuvered from inside the vehicle
- 100% galvanized steel construction
- In-line design allows for driving forward and in reverse
- Capacities: 1,800, 3,000 balls
- Greasable pillow block bearings and caster fittings
- Floatation tires for a smooth stable ride
- Multiple flex points for varied terrain
- Adaptable to any cart or vehicle

| PART NO. | PRODUCT | DISCS | BASKETS | BALL CAP. | WEIGHT |
|----------|---------------------------|-----------|-----------------|-------------|--------|
| PBA0001 | 3-gang Manual emptying | Multiflex | 3 metal baskets | 1,800 balls | 221 kg |
| PBA0002 | 5-gang Manual emptying | Multiflex | 5 metal baskets | 3,000 balls | 324 kg |
| PBA0003 | 3-gang Hydraulic emptying | Multiflex | 3 metal baskets | 1,800 balls | 250 kg |
| PBA0004 | 5-gang Hydraulic emptying | Multiflex | 5 metal baskets | 3,000 balls | 350 kg |

HAND PICKERS


- Hand-held picker with two size options
- Lightweight and maneuverable for quick ball retrieval
- Efficient ball collection using plastic discs
- Durable design for frequent use



| # | PART NO. | PRODUCT | DISCS | BASKETS | BALL CAP. | WEIGHT |
|---|----------|---------------------|---------|-----------|-----------|--------|
| 1 | PEM0001 | Hand Picker, single | Plastic | 1 basket | 400 balls | 23 kg |
| 2 | 310035 | Hand Picker, dual | Plastic | 2 baskets | 800 balls | 30 kg |

Capacity may differ depending on ball quality and filling technique.

FREE OF CHARGE*
for 12 months on all new Ball Dispensers



SMART RANGE

RSCONNECT

SMART
DIGITAL
PLATFORM

Improve your **RANGE INTELLIGENCE** with our Smart Range Technology. A Dashboard, showing important KPIs, such as balls dispensed, payment channels and more. Add to that low ball and technical malfunction alerts to maximize efficiency and minimize downtime.



Low ball level alert

Never run out of balls again by getting an alert when the ball level is low.



Statistics

Know your range business with statistics, such as balls dispensed, payment channels used, revenue levels, and alerts sent.



System Health

Be ahead of the game! Keep your Range Servant equipment online and healthy 24/7. You will receive an alert if balls cannot be dispensed.



API-Integration

This feature will enable integration with Third Party Solutions for a greater Range Experience.

*12 months free subscription for all new ball dispensers. Please read the Terms of Use for RSCONnect on the enrollment page for details.

CLEANING

HIGHEST QUALITY

Range Servant Cleaning takes pride in its cutting-edge products designed to elevate the golf range cleaning experience. The BT1300 and BT1950 washers, hot dip galvanized for maximum durability, stand as powerful, corrosion-resistant solutions, ensuring a precise clean that lasts. Add a Washer Tray of choice to maximize your picking-effectiveness.

For the relentless battle against muddy golf balls you can even add the Pre-Soaker. Specifically formulated for challenging conditions, this solution triumphs over stubborn dirt, ensuring each golf ball emerges spotless and ready for the next swing. In conclusion, Range Servant Cleaning provides more than just cleaning equipment; it delivers a promise of excellence. From the galvanized washers and trays and the mud-fighting Pre-Soaker, every product is crafted to meet the highest standards, ensuring golf range owners can confidently maintain a pristine range in all conditions.



WASHERS

BT1950 and BT1300

- 3/4 HP direct drive motor for BT1950, 2/4 HP for BT1300
- Unique fresh water rinse feature
- 100% galvanized steel
- The ONLY self-feeding Ball Washer
- Fool-proof design for jam-free performance

- Direct drive for reliability; no belts
- Washer brush 40mm–50mm, made of PVC Polyamide and Polypropylene, are robust for the dirtiest of jobs!

Requirements: water supply connection 1/2", drain 50 mm, 230V electricity



| # | PART NO. | PRODUCT | BALLS/HR |
|---|----------|--------------------|----------|
| 1 | 220000 | Ball Washer BT1950 | 24,000 |
| - | WGM0000 | Ball Washer BT1300 | 12,000 |


| PRODUCT | SIZE H/W/D mm | WEIGHT |
|----------------------------|-----------------|--------|
| BT1300 with Washer Tray S | 1,000/600/1,807 | 75 kg |
| BT1300 with Washer Tray XL | 1,180/690/2,035 | 81 kg |
| BT1950 with Washer Tray S | 1,000/647/1,846 | 86 kg |
| BT1950 with Washer Tray XL | 1,180/690/2,073 | 100 kg |

Capacity may differ depending on ball quality and filling technique.

WASHER TRAYS

- Washer Trays designed to hold 600-1,000 balls
- Constructed with the highest quality galvanized steel
- Suitable for handling varying daily ball quantities with ease
- Assurance of robust performance in any range setting

| # | PART NO. | PRODUCT | BALL CAP. |
|---|----------|----------------|-----------|
| 1 | 970047 | Washer Tray XL | 1,000 |
| 2 | 221201 | Washer Tray S | 600 |



PRE-SOAKER

Designed with the muddy season in mind, our Pre-Soaker loosens deeply embedded and caked-on dirt before the balls are lifted by the elevator into the BT1950 or BT1300 Ball Washer.

- Rust-proof aluminum and stainless steel elevator
- Years of rust-free functionality
- Perforated belt design retains water and balls
- Adjustable speed control belt drive
- Removable grid system for easy maintenance
- Option to add a sprinkler for cleaner operation
- Comfortable working height for operators
- Durable Polymer, 1,700 ball capacity bin

Requirements: water supply connection 1/2", drain 50 mm, 230V electricity



ULTIMA 12 BALL MANAGEMENT SYSTEM

| # | PART NO. | PRODUCT | BALLS/HR | COMP. WITH | SIZE H/W/D mm | WEIGHT kg |
|---|----------|--------------|---|-------------|---------------|-----------|
| 1 | WIM0004 | Soaker 4000 | Up to approx. 24,000 balls/hr depending on washer | All washers | 915/800/1,335 | 80 |
| - | WIM0060 | Loading tray | | Soaker 4000 | | |
| 2 | WIM0073 | Sprinkler | | Soaker 4000 | | |


Capacity may differ depending on ball quality and filling technique.

BALL MANAGEMENT SYSTEMS

ELEVATORS

Range Servant Elevators have proven to be invaluable, saving significant time, money, and sparing countless aching backs over the years. While our standard elevator sizes seamlessly integrate with our Ball Dispensers, we understand that each facility is unique. Therefore, we offer the option of custom-made elevators in any length, catering to the specific needs of driving ranges and golf ball recovery operations. Furthermore, for those looking to optimize vertical space and enhance efficiency, our offerings extend to the incorporation of multi-storey solutions. Whether you're benefiting from our standard sizes or opting for a tailored approach, including multi-storey configurations, our commitment remains unwavering to provide solutions that elevate the performance and convenience of your golfing facility.

- Rustproof stainless steel and aluminum
- 30,000+ balls/hour
- Overfill sensor turns off Elevator automatically when Dispenser or Hopper is full
- Compatible with any Ball Washer
- Ball Washing is reduced to pressing **ONE GREEN BUTTON!**
- Extra outlet powers any Ball Washer for an instant Ball Management System!
- Photo-sensor, adjustable for optimal filling



Requirements: 230V electricity

| PART NO. | PRODUCT | BALLS/HR | COMP. WITH | SIZE H/W/D mm | WEIGHT |
|----------|----------------|----------|-----------------------|---------------|--------|
| EGM0001 | Elevator 1.4 m | 30,000 | Ultima 8 | 1,525/455/645 | 43 kg |
| 410000 | Elevator 1.8 m | 30,000 | RS 4, 8, 11 | 1,848/455/645 | 46 kg |
| EHM0001 | Elevator 2.1 m | 30,000 | Ultima 12, 19, 20, 45 | 2,200/455/645 | 45 kg |
| EHM0018 | Elevator 2.1 m | 30,000 | All BTW | 2,200/455/645 | 45 kg |
| 420000 | Elevator 2.3 m | 30,000 | All Cone Top Hoppers | 2,345/455/645 | 54 kg |

Capacity may differ depending on ball quality and filling technique.

SMALL BMS

The heart of every exceptional driving range lies in its ability to seamlessly manage the flow of golf balls. Introducing the Range Servants Small Ball Management System, a cutting-edge solution designed to streamline the ball-handling process at golf ranges. This innovative system revolutionizes the traditional method of manually collecting and cleaning golf balls, offering a seamless and automated experience for range operators.

- Operators pick up range balls, press a green button, and let the system take over.
- Balls are automatically sub-merged and thoroughly cleaned.
- Cleaned balls are lifted into our ball machines via specially designed elevators.
- Designed for ease of use, minimizing manual intervention.



WASHER TRAY S

WASHER BT1300

ELEVATOR 2.1 m

DISPENSER ULTIMA 12

AUTOMATIC BALL MANAGEMENT SOLUTIONS

RANGE SERVANT®

DITCH SYSTEMS

Range Servant offers two ditch solutions: a **2-METER PLASTIC DITCH** suitable for robotic pickers and a **6-METER CONCRETE DITCH** compatible with both robotic and ball pickers, featuring emptying functionality. With regular daily maintenance, the plastic ditch has a life expectancy of 15-20 years, and the cast ditch can last up to 50 years. Both ditches include plates, a water-resistant elevator, ditch sensors, and the option for manual or automatic control cabinets. Installing ball ditches eliminates heavy lifting and routine work, allowing personnel to focus on more critical tasks.

While the 2-meter plastic ditch is ready for installation upon delivery, the 6-meter concrete ditch requires casting in place before installation, and your Range Servant sales professional will discuss preparation options when placing an order.

Please note; Both ditches require preparation of the ground before installation, and customers are responsible for casting the concrete ditch themselves, although Range Servant provide the necessary drawings.



2-METER PLASTIC DITCH

6-METER CONCRETE DITCH

Landskrona
Golf Club

| # | PART NO. | PRODUCT |
|------------------------------|------------|---|
| 2-METER PLASTIC DITCH | | |
| 1 | 1000422-TL | Part 1 – ditch, 2,700 ball cap. |
| 2 | 1000422 | Part 2 – elevator + plates, incl. pump* |
| - | 1000450 | Part 3 – electrical box for ditch. Automatic start and stop |

| # | PART NO. | PRODUCT |
|-------------------------------|----------|--|
| 6-METER CONCRETE DITCH | | |
| 3 | OIM0011 | Ball ditch parts including pump |
| 4 | EEM0000 | Ditch Elevator 2.3 m* |
| 5 | 1000949 | Remote Start/Stop panel |
| - | 1001530 | Control Cabinet Concrete Ditch, Washer, Elevator |

*Up to approx. 24,000 balls/hr depending on washer Capacity may differ depending on ball quality and filling technique.



BALL MANAGEMENT SYSTEMS

HOPPERS

At the heart of the operation, the main hoppers function as the central command, receiving a continuous influx of golf balls and strategically dispensing them to various target areas. Their precision and reliability play a pivotal role in maintaining a smooth ball distribution, all fully automatic.

Complementing this central hub are the receiving hoppers, strategically positioned to efficiently transfer the golf balls to Ball Transportation Carts. These hoppers serve as key connectors in the distribution network, streamlining the process of transporting balls from the main hub to designated collection points across the facility.




| # | PART NO. | PRODUCT | BALL CAP. | SIZE H/W/D mm |
|---------------------|----------|-----------------------|-----------|--------------------|
| MAIN HOPPERS | | | | |
| - | 750000 | Hopper 15 | 15,000 | 2,307*/1,004/755 |
| 1 | 770000 | Hopper 22 | 22,000 | 2,307*/1,259/1,256 |
| - | 780000 | Hopper 30 | 30,000 | 2,307*/1,524/1,524 |
| - | 790000 | Hopper 50 | 50,000 | 2,307*/2,036/1,536 |
| 2 | HAM0021 | Outfeed, Hopper 15-30 | | D 455 |
| - | 1000988 | Outfeed, Hopper 50 | | D 525 |

*Height w/Elevator: 2,481 mm

| RECEIVING HOPPERS | | | | |
|--------------------------|---------|----------------------------------|--------|-------------------|
| 3 | 1001717 | Hopper 18 | 18,000 | 2,959/1,010/1,010 |
| 4 | 1000145 | Hopper 22 | 22,000 | 2,959/1,259/1,256 |
| 5 | HOP0202 | Hopper 30 | 30,000 | 2,959/1,524/1,524 |
| | 1001004 | Electrical Ball outfeed (on/off) | | - D 455 |
| | HOP0220 | Manual Ball outfeed (lever) | | - D 455 |

Capacity may differ depending on ball quality and filling technique.





BLOWER SYSTEMS

Our blower system, using compressed air and flexible hoses, feeds balls from the hopper in the remote washing/storage area to receiving units.

Additionally, Range Servant supplies a manifold system to accommodate multiple receiving units.

| PART NO. | PRODUCT | CAPACITY |
|----------|-----------------------------|------------------|
| 800020 | Blower 2,2 kW | approx. 0-125 m* |
| 800030 | Blower 3,0 kW | approx. 0-180 m* |
| 1001582 | Hose for Blower system | |
| 1001950 | Manifold for Blower system | |
| BCM0026 | Electrical box for Manifold | |

Blower size (mm): H 585 / W 805 / D 565

*Depending on installation type and surrounding conditions.

CONTROL CABINETS

- Automated (Max V1) customized Control Cabinet with sophisticated programming to fit the facility.
- Perfect solution for lowering staff costs
- Can be set to manual or automated (Max V1 only).
- Equipped with Emergency STOP button

| PART NO. | PRODUCT | INFO |
|----------|-------------------------|-------------------------------|
| 1001166 | Control Cabinet Max V1 | Can accommodate up to 4 units |
| 800040 | Control Cabinet Midi V1 | Can accommodate up to 2 units |
| 1001530 | Control Cabinet | Ditch, Washer, Elevator |


We offer other solutions. Contact us to discuss your need.

BMS EXAMPLE

- 1 PRE-SOAKER
- 2 WASHER
- 3 HOPPER ELEVATOR
- 4 HOPPER
- 5A ELEVATOR TO DISPENSER
- 5B ELEVATOR TO 2ND FLOOR



BALL MANAGEMENT SYSTEMS



1 CONTROL CABINET

Automated or manual with sophisticated programming to fit each facility.

2 DITCH

2m-6m in length, both wet/dry, Ditch sensors start the BMS.

3 DITCH ELEVATOR

Feeds balls into the washer.

4 WASHER TRAY

Holds picked balls before washing

5 WASHER

Starts automatically when ditch elevator activated.

6 HOPPER ELEVATOR

Transports washed balls into the Hopper.

7 HOPPER

Ball storing units available in several sizes from 15,000-50,000 balls.

8 BLOWER-SYSTEM

Receives balls from Hopper and blows them to the receiving units.

> RECEIVING UNITS

Hoppers/Dispensers can be set to automatically call for balls when the ball level is low.

> TEE BOX

Bay Dispensers filled by Ball Transportation Carts.



FULLY AUTOMATIC

Choose between fully automatic or semi-automatic setups for our BMS. Our advanced PLC coding ensures precise ball delivery from the storage area to dispensers or hoppers based on your requirements.



BLOWER-SYSTEM

Our blower system, powered by compressed air and flexible hoses, efficiently transports balls from a remote washing/storage area to dispensers.



MULTI-STOREY SOLUTIONS

Our BMS can accommodate several storeys with ease. Since every BMS is custom made our priority is feeding balls through the system in a safe and secure manner.




**Halmstad
Golfarena**
Golf & Sports Club

” Our system from Range Servant is a prerequisite for a cost-effective range operation. The fact that it is incredibly reliable makes it even better. World class!

-Martin Siljegård, Halmstad Golfarena

- CONTROL CABINET**
- 6-METER DITCH**
- DITCH ELEVATOR**
- 1 WASHER TRAY**
- WASHER**
- HOPPER ELEVATOR**
- HOPPER**
- BLOWER UNIT**
- 2 2-METER DITCH**
- 3 BLOWER HOSE**
- 4 RECEIVING UNIT**
- 5 BALL PICKER**
- 6 ROBOTIC PICKER**
- 7 ACCESSORIES**

Central receiving units provides **increased revenue.**



TEE BOX BAY DISPENSERS

Our Tee Box Bay Dispenser is a great way to create an upscale experience for your Range! By storing up to 2,000 balls, your customers can go directly to the bay to start their gaming or practice session.

The Tee Box allows your range to **SELL TIME** and will **INTEGRATE** with most booking, POS, and tracking software. Give your customers that VIP experience that they cannot find anywhere else.

1 WAVE CLUB IN FRONT OF SENSOR

2 WAIT FOR BALLS TO DISPENS

3 PERFECT YOUR SWING

TEE BOX GEN 3



Dimensions (mm): H 755, W 1,087, L 313



TEE BOX GEN 2

- Ball capacity: 2,000 balls
- Dimensions (mm): H 857, W 1,259, L 701
- Color: Black and Silver
- Aluminum, steel frame
- RSCONNECT integration (API)
- Customizable print on front
- Hard plastic foam protective front panel
- Sensor dispensing technology

BALL TRANSPORTATION CART

- Filling Range Servant Tee Boxes with golf balls
- Fills a Tee Box in approx. 2 minutes
- Holds up to 2,000 golf balls
- Can be plugged into a power outlet or run on battery*
- Equipped with wheels for easy transportation

*Battery solution is not available for purchase.

EASILY FILLED
WITH A BALL TRANSPORTATION CART



| # | PART NO. | PRODUCT | CAPACITY | WEIGHT kg |
|---|----------|--------------------------------|-------------|-----------|
| 1 | 1000966 | Tee Box gen 3 - center outfeed | 1,800 balls | 42 kg |
| - | 1001150 | Tee Box gen 3 - left outfeed | 1,600 balls | 42 kg |
| 2 | 1000883 | Tee Box gen 2 | 2,000 balls | 60 kg |
| 3 | 1000614 | Ball Transportation Cart | 2,000 balls | 80 kg |

For all customization of the Tee Box we will offer separately. Capacity may differ depending on ball quality and filling technique.

For a
VIP
experience

TEE BOX INBAY DISPENSER

RANGE SERVANT™

PROJECT MANAGEMENT BY RANGE SERVANT

The Driving Range has been given a central place at both golf clubs and independent Driving Ranges. Range Servant is experienced in creating and finalizing projects. From sales to installation, you can trust Range Servant to see your project through to completion.



1 PRE-STUDY

The pre-study is designed so that all expectations and goals are met. In the pre-study, Range Servant will look closely at the site, identify its capacity and function, opportunities, and risk reduction.

2 QUOTE & STANDARD DRAWING

Range Servant will provide a customized quote and standard drawing for approval through digital signing.

3 CUSTOMIZED DRAWING

Range Servant's Design Engineer creates a customized drawing for customer approval through digital signing.

4 ORDER CONFIRMATION

The quote will be converted to an order based on the customized drawing.

5 TIME LINE

A time line with all steps, such as meetings, production times, delivery, and installation is produced.

6 EDUCATION

After installation, Range Servant technicians provide training for optimal long-term system maintenance.

” **Because no ranges are the same, we take pride in creating a customized solution just for you.**

*Mari Lindblom, Project Manager
Range Servant*

INSTALLATIONS

When you invest in our products, our technicians and support team will assist in getting you started. No matter how large or small the project, we want to make sure your operations are comfortable using our equipment.

MAINTENANCE

All machines require some form of inspection, some daily, others weekly, and sometimes annually. Follow the instructions for each machine in the respective User's manual.

Our team is among the most knowledgeable in the golf business, so don't hesitate to contact us.


We offer comprehensive service agreements for all our markets, ensuring reliable and dedicated support tailored to your needs, reach out to us on sales@rangeservant.com for more information





TOPGOLF

Range
Servant is the
**preferred BMS
supplier for Topgolf
Entertainment
Group.**



PRICE INDICATIONS

SMALL

from approx.

€20,200

Great solution for all Country clubs. Pick the balls, dump them in our Tray, and clean balls will be available to your customers in an instance.

**PICKER LIGHT 3-GANG MULTIFLEX • WASHER TRAY S
BALL WASHER BT1300 • ELEVATOR 2.1 • BALL DISPENSER ULTIMA 12**

MEDIUM

from approx.

€37,800

The Perfect solution for the bigger Country club who treasure selling balls at the best place without the disturbance of ball handling.

**PICKER LIGHT 5-GANG MULTIFLEX • CONTROL CABINET MIDI • WASHER TRAY S
BALL WASHER BT1300 • BLOWER SYSTEM 2.2kW • BALL DISPENSER ULTIMA 19**

X-LARGE

from approx.

€213,500

The ultimate Range Servant solution for high capacity driving ranges. Add Tee Boxes to sell time to your users and increase tour revenue.

**PICKER WITH HYDRAULIC EMPTYING 5-GANG MULTIFLEX • CONTROL CABINET MAX
CONCRETE DITCH PARTS INCL. ELEVATOR • WASHER TRAY XL • BALL WASHER BT1950
HOPPER ELEVATOR 2.3 • HOPPER 50 • BLOWER SYSTEM 3.0kW • 2 x HOPPER 22
2 x BALL TRANSPORTATION CART • 30 x TEE BOX GEN 3**

All prices exclude
VAT and shipping.

ACCESSORIES

HIGHEST QUALITY


Customers around the world recognize our quality, which is why we have chosen to work with the highest quality accessories on the market. Product longevity is our trademark.

RANGE MATS

Deluxe Classic



- High quality standard mat
- Great feel
- Durable
- For all golfers



- 15 mm FOAM BASE
- 22 mm NYLON curled straws
- 4 HOLES + 4 SLITS
- 150X150 cm

Premium Fairway



- Premium mat
- Incredible feel
- More consistency in your shots
- Durable
- Easy on the hands
- For the average golfer




- 20 mm FOAM BASE
- 30 mm NYLON curled & straight straws
- 4 HOLES
- 150X150 cm

Tee-Up



- Premium mat
- Can hold real tees
- Accurate feedback on your shots
- Durable
- For the above average golfer




- 15 mm FOAM BASE
- 35 mm NYLON high quality curled straws
- 4 HOLES
- 150X150 cm

Teaching



- Standard teaching mat
- Sewn-in teaching lines of colored grass



- 20 mm FOAM BASE
- 15 mm NYLON curled straws
- 4 HOLES
- 150X150 cm

| # | PART NO. | PRODUCT | SIZE |
|---|----------|---------------------|------------------|
| 1 | 1001816 | Deluxe Classic Mat | 1,500 x 1,500 mm |
| 2 | 1001817 | Premium Fairway Mat | 1,500 x 1,500 mm |
| 3 | 1001818 | Tee-Up Mat | 1,500 x 1,500 mm |
| 4 | 1001944 | Teaching Mat | 1,500 x 1,500 mm |
| - | 1000862 | Tee holder | 30 mm |

| # | PART NO. | PRODUCT | SIZE |
|---|----------|------------|-------|
| - | 1001995 | Tee holder | 50 mm |
| - | 610810 | Rubber Tee | 45 mm |
| - | 610820 | Rubber Tee | 55 mm |
| - | 610800 | Rubber Tee | 65 mm |
| - | 1001994 | Rubber Tee | 73 mm |



PLASTIC BASKET

- Plastic Material
- Classic
- Lightweight
- Durable
- Sturdy handle

| # | PART NO. | PRODUCT | CAPACITY |
|---|----------|----------------|---------------|
| 1 | 109940 | Plastic basket | 40-50 balls |
| 2 | 109960 | Plastic basket | 65-75 balls |
| 3 | 109970 | Plastic basket | 85-100 balls |
| 4 | 109980 | Plastic basket | 140-150 balls |

Sold by boxes of 25



STEEL BASKET

- Steel Material
- Rugged
- Extra durable
- Stackable
- Sturdy handle

| # | PART NO. | PRODUCT | CAPACITY |
|---|----------|--------------|-------------|
| 1 | 109900 | Steel basket | 45-50 balls |
| 2 | 109910 | Steel basket | 70-85 balls |

Sold by boxes of 10



DELUXE BASKET

- Hard Plastic Material
- Rugged
- Extra durable
- Stackable
- Sturdy handle

| # | PART NO. | PRODUCT | CAPACITY |
|---|----------|----------------|--------------|
| 1 | 109946 | DeLuxe Medium | 60-70 balls |
| 2 | 109947 | DeLuxe Large | 90-100 balls |
| 3 | 109948 | DeLuxe Utility | 350+ balls |

Sold by pieces



RANGE BALLS

| PART NO. | INFO |
|----------|-------------------------------|
| 1001865 | 1-piece, comp 80, 392 dimples |

Sold by boxes of 300 (25 dz)



BASKET STAND

| PART NO. | INFO |
|----------|--|
| 109950 | For round baskets D600 x W600 x H700 mm |



RUBBER BALL TRAY

- Made of durable, recycled crumb-rubber
- 5,5 kg - Won't blow away
- Long-lasting
- Quiet

| PART NO. | PRODUCT |
|----------|---|
| RAM0010 | Ball Tray RS Tee 960/970, rubber D340 x W675 x H100 mm |

Sold in packs of 2



ACCESSORIES


MIXED ACCESSORIES

| # | PART NO. | PRODUCT |
|---|----------|---|
| 1 | Z00011 | Umbrella holder (39 mm inner diameter) |
| 2 | Z00001 | Rental Trolley, incl 3 wheels, basket and brake |
| 3 | OTA0164 | Tee Target Net 48" diameter, incl. yellow pads |
| - | OTA0171 | Tee Target Net 36" diameter, incl. yellow pads |
| 4 | OTA0165 | Yellow Pads for Tee Target Net – pack of 6 pads |



RANGE BANNERS

| # | PART NO. | PRODUCT | CONTAINS |
|---|----------|--------------------------------------|------------|
| 1 | OTA0101 | Horizontal Banner Frame Aluminum | FRAME only |
| 2 | OTA01XX | Horizontal Range Banner RS* | COVER only |
| 3 | OTA0128 | Horizontal Range Banner Bulls Eye RS | COVER only |
| 4 | OTA0134 | Horizontal Range Banner Customized | COVER only |
| 5 | OTA012X | Horizontal Range Banner RS* | Complete |
| 6 | OTA0127 | Horizontal Range Banner Bulls Eye RS | Complete |
| 7 | OTA0126 | Horizontal Range Banner Customized | Complete |
| 8 | OTA0096 | Vertical Banner Frame Steel | FRAME only |
| 9 | OTA00XX | Vertical Banner RS* | COVER only |







*Available in 50 m increments 50 - 250 m



FOLLOW US ON SOCIAL MEDIA

LINKEDIN



PAYMENT SOLUTIONS

SOLO

The Solo System is a great, cost-effective payment system for the range focused on members. The Solo card is topped up with money and the system allows for buying of up to 3 different bucket sizes. The simple reporting and different prices are a step up from basic tokens.

- Simply hold card up to the reader
- No contacts to wear out and replace
- Components are sealed against weather
- Wireless
- Solo 1 & 2 systems are both standalone system

Solo 1

- Load buckets instead of cash on card
- Easy to use
- Simple setup

Solo 2

- Load cash value on card
- 3 bucket sizes
- Cancel lost cards
- Employee Sales and revalue reports
- Download dispenser data
- Set happy hour pricing
- Set an expiry date for each individual account



| # | PART NO. | PRODUCT | INCLUDED IN THE PACKAGE |
|---|-----------|---|--|
| 1 | SOL0000 | Solo 1 Card system on NEW dispenser | Door, Solo 1 Card system, 1 bucket size |
| 1 | SOL00001 | Solo 1 Replacement kit for ball dispenser | Door, Solo 1 Card system, 1 bucket size |
| 1 | SOL0003 | Solo 1 Reader excl. Door | Solo 1 Card system, 1 bucket size |
| 2 | SOL0010_2 | Solo 2 Card system on NEW dispenser | Door, Solo 2 Card system, 3 bucket sizes |
| 2 | SOL0040 | Solo 2 Replacement kit | Door, Solo 2 Card system, 3 bucket sizes |
| 2 | SOL0010_1 | Solo 2 Reader excl. Door | Solo 2 Card system, 3 bucket size |
| 3 | 108044 | Solo-Card Mifare (only sold in 50-pack) | (delivered with Solo print on one side) |

For printing on the cards please contact us for quotation.

TOKENS

- Range Servant is the sole range company crafting its own tokens
- Tokens from external sources are incompatible with Range Servant machines
- All Range Servant machines include a built-in token acceptor
- The system prioritizes independence from constant Internet connectivity, serving as a robust backup
- Customers freely choose tokens for their club, with Range Servant managing tracking responsibilities



NICKEL

| # | PART NO. | PRODUCT | # | PART NO. | PRODUCT |
|---|----------|----------------|---|----------|--------------|
| 1 | 108600 | Token acceptor | 2 | 108830 | Token RS-H |
| 2 | 108740 | Token RS-A | 2 | 108700 | Token RS-I |
| 2 | 108750 | Token RS-B | 2 | 108710 | Token RS-II |
| 2 | 108760 | Token RS-C | 2 | 108720 | Token RS-III |
| 2 | 108790 | Token RS-D | 2 | 108730 | Token RS-IV |
| 2 | 108800 | Token RS-E | 2 | OKM0002 | Token RS-V |
| 2 | 108810 | Token RS-F | 2 | OKM0001 | Token RS-VI |
| 2 | 108820 | Token RS-G | | | |

Sold in boxes of 500. Above nickel-plated tokens available also in brass.

THIRD PARTY PAYMENT SYSTEMS




SELECT PI ACE revolutionizes golf management with a user-friendly app, simplifying payment processing and self-registration for elevated customer engagement. Golfers enjoy contactless transactions, multi-range access, and quick mobile transactions. Beyond transactions, it's a sales amplifier, accepting various payment methods and enabling player accounts. The web-based system ensures effortless, automated transactions at the pro shop, freeing up staff for impactful sales. Tying into the POS, enabling contactless payments, and incorporating self-registration contribute to a more accurate customer database. Select Pi ACE is the definitive solution for modern golf facilities, enhancing the entire golfing experience.



Your Golf Booking



YOUR GOLF BOOKING (YGB) introduces a game-changing Booking/Payment Solution, optimizing venue use and boosting revenue with efficient time and ball sales. The all-in-one management integrates seamlessly with food, beverage, and shop functions. Innovative features like special pricing, unlimited balls during bookings, and diverse payment methods benefit owners. The smart dispensing panel ensures a seamless and user-friendly golfing experience, online or in-venue. YGB's solution redefines efficiency, revenue, and customer satisfaction in the world of golf management.



GolfMore



GOLFMORE transforms golf range management with its Payment System, a pivotal tool offering real-time insights into revenue, ball dispensing, and customer preferences. Integrated with national golf federation databases, it minimizes transaction fees and enhances customer experience with up to four basket sizes, flexible scheduling, and a 24/7 hotline. The cloud-based, multilingual dashboard ensures accessibility and simplicity. Owners receive data-driven alerts, seamlessly importing customer data. GolfMore's Payment System is a future-ready, user-friendly foundation for global golf range success.



COMMON SPARE PARTS

BALL PICKERS



| # | PART NO. | ALT. PRODUCT/INFO | MATERIAL | FITS TO FRAME |
|----|----------|----------------------------------|-------------------------|--------------------------|
| 1 | PDM0094 | Pick-up roller | Multiflex | HD after 2012, all Light |
| 1 | PBM0002 | Pick-up roller | Multiflex | PBA0001-0004 |
| 2 | 302000 | Pick-up roller, complete | Rubber | 300000, 300010 |
| 3 | PDM0093 | Pick-up roller | Plastic | All Light, hand pickers |
| 4 | OFM0012 | Ball basket for picker | Plastic | HD, Light |
| 5 | 300400 | Ball basket for picker | Steel | HD, Light |
| 6 | 305100 | Push rod with extension tube | Steel | All HD, Light 5-6 |
| 7 | 970009 | Sliding bar with extension tube | Steel | Light 2-4 |
| 8 | 330030 | Extension MIDI to MAXI Multiflex | Steel/Plastic/Multiflex | HD |
| 8* | 300041 | Extension MIDI to MAXI Rubber | Steel/Plastic/Rubber | HD |
| 9 | PAM0000 | Attachment for A-frame | Steel | HD, Light |
| 10 | PCM0007 | Brush strip, complete kit | | HD |
| 11 | 970056 | Ball guide, rubber tube, L 150 | | HD, Light |
| 12 | PDA0006 | Wheel and tyre with tube | | Light |
| 13 | 303220 | Wheel and tyre with tube | | HD |
| 14 | 303200 | Swivel castor air complete | | HD |
| 15 | PDA0000 | Swivel castor air complete | | Light |

*Same construction but with rubber pick-up roller

BALL DISPENSERS

| # | PART NO. | PRODUCT | COMP. WITH |
|---|-----------------|-------------------------|------------------------|
| 1 | 101900 | Lock with 2 keys | RS, Ultima, BTW |
| 2 | OBM0800-CONNECT | BA16 Circuit Board | RS, Utima, BTW |
| 3 | DJM0053 | Tension roller complete | Ultima, BTW |
| 4 | 930218 | Photocell Ultima grid | Ultima, BTW |
| 5 | DJA0006 | Cog belt 32T10/1000-V | Ultima after 2000, BTW |
| - | DBM0000 | Cone top, + 2,000 balls | RS-4 |
| - | 117000 | Cone top, + 4,000 balls | Ultima 8, RS-8 |
| - | 147000 | Cone top, + 7,000 balls | RS-11 |



BALL WASHERS

| # | PART NO. | PRODUCT | COMP. WITH |
|---|----------|----------------------------------|----------------|
| 1 | 105300 | Water valve 230 V | BT1300, BT1950 |
| 2 | WGM0040 | Brush, complete | BT1300 |
| 2 | 221100 | Brush, complete | BT1950 |
| 3 | WAM0002 | Yellow distributor for agitator* | BT1300, BT1950 |
| 4 | WGM0042 | Agitator, complete | BT1300 |
| 4 | WBM0040 | Agitator, complete | BT1950 |
| 5 | WGM0015 | Rubber base plate | BT1300 |
| 5 | 220650 | Rubber base plate | BT1950 |

*Sold by pieces of 5



PRE-SOAKER

| # | PART NO. | PRODUCT |
|---|----------|---------------------------|
| 1 | WIM0040 | Idler with bracket fixing |
| 2 | WIM0039 | Drum motor |
| 3 | WIA0023 | Elevator belt with clip |



COMMON SPARE PARTS

BALL ELEVATORS

| # | PART NO. | PRODUCT | COMP. WITH |
|---|----------|---|-------------------------------|
| 1 | EGA0000 | Elevator belt 2,860x300 with belt clip | Elevator 1.4 m |
| 1 | 410650 | Elevator belt 3,500x300 with belt clip | Elevator 1.8 m |
| 1 | EHA0000 | Elevator belt 4,210x300 with belt clip | Elevator 2.1 m |
| 1 | 420650 | Elevator belt 4,500x300 with belt clip | Elevator 2.3 m |
| 2 | 400610 | Idler roller dia 113 | Elevator 1.4, 1.8, 2.1, 2.3 m |
| 3 | 400520 | Drum motor, 230 V, dia 113 | Elevator 1.4, 1.8, 2.1, 2.3 m |




HOPPERS

| # | PART NO. | PRODUCT | COMP. WITH |
|---|----------|--------------|--------------|
| 1 | HAM0023 | Roller Brush | Hopper 15-30 |
| 2 | 104100 | Roller Brush | Hopper 50 |




BLOWER SYSTEMS

| # | PART NO. | PRODUCT |
|---|----------|-------------------------------------|
| 1 | 970163 | Guiding wheel |
| 2 | 970161 | Feeding wheel, solid |
| 3 | 930571 | Photocell |
| 4 | BDM0021 | Rubber, ball stop/ damper yellow |
| 5 | BDM0012 | Ball stop complete |



CUSTOMERS

Proud supplier to



and many more!

PARTNERS



Inrange is an award-winning ball-tracking and off-course software business that is setting a new standard in what success looks like for range owners. By dissecting the visitor experience into 3 distinct player profiles (practice, entertainment and large group multi-bay events), they are generating more ROI than any other provider on the market. This is range technology that is created for players, and designed for businesses.



TRACKMAN



Trackman, a leader in golf-ball tracking technology, proudly partners with Range Servant to offer a seamless integration of booking and payment solutions, enhancing the golfing experience for both range owners and players. Trackman Range, equipped with tour-proven technology, stands as the industry's top choice for Practice, Virtual Golf and Entertainment software. For range owners, this collaboration is a gateway to attracting and retaining guests by offering a user-friendly, interactive and comprehensive experience. For players, Trackman Range introduces a revolutionary way to practice, play, and enjoy the game, providing an unmatched, engaging golfing journey.



Unisport excels in installing 45,000 m² of golf-specific artificial turf globally, optimizing ball reception, putting, and minimizing maintenance costs. Their innovative approach ensures inviting training facilities, diverse price options, Range Servant compatibility, and the possibility of architect-designed ranges, backed by extensive supplier experience. Elevate your golf venue for increased revenue and on-course success.



SALES STAFF



ANNELIE LJUNGDAHL

Key Account Manager EU

+46 35 15 29 55

annelie.ljungdahl@rangeservant.com



More members of the Range Servant family

Sales Support

035-10 92 43

sales@rangeservant.com


SUPPORT

If you have a query, submit a support ticket and our relevant team on the ground will be in touch.



DISTRIBUTORS

DIRECT SALES IN



AUSTRALIA

Country Club International
www.countryclub.com.au



AUSTRIA

Golf Tech Golfartikelvertriebs
www.golftech.at/eur



BANGLADESH

TeeJay2



BELGIUM

Duchell
www.duchell.com



CZECH REPUBLIC

ITTEC spol. s r.o.
www.ittec.cz/cs



DENMARK

From-Nielsen
www.from-nielsen.dk



ESTONIA

Spoleman
www.spoleman.ee



FINLAND

Golden Pro
www.goldenpro.fi



FRANCE

Piguy Golf Challenge
www.piguysport.com



GERMANY

Golfkontor
www.golfkontor.de



GERMANY

GolfComfort
www.golfcomfort.com



GREECE

Automotive Solutions Ltd
www.automotivesolutions.gr





ICELAND
Golfbudin
www.golfbudin.is



INDIA
Ace Golf India
www.acegolfindia.in



INDONESIA
PT Limitless Golf Indonesia
www.imitlessgolf.co



IRELAND
The Buggyman
www.buggyman.net



ITALY
Duchell Italia
www.duchellitalia.it



LITHUANIA
UAB Golfera



MALAYSIA
Irriquip Golf
www.irriquip.com.my



MAURITIUS
One Stop Golf
www.onestopgolf.co.za



MOROCCO
Valtech
www.valtech.ma



NETHERLANDS
Duchell
www.duchell.com



NEW ZEALAND
Country Club International
www.countryclub.com.au



NORWAY
Chrisco Golf
www.chrisco.no



POLAND
Perfetto
www.perfetto.com.pl



PORTUGAL
Golfejardim
www.golfejardim.pt



SINGAPORE
BAYCO International



SLOVAKIA
ITTEC
www.ittec.cz/cs



SLOVENIA
AB Trgovina in storitve d.o.o.
www.ab-doo.si



SOUTH AFRICA
One Stop Golf
www.onestopgolf.co.za



SOUTH KOREA
Redbox Golf



SPAIN
Agronimer
www.agronimer.com



SWITZERLAND
SIBE Golf
www.sibeag.ch



TURKEY
Golf International
www.golf-international.com



UAE
Sport Pavilion
www.sportpavilion.com



RANGE SERVANT

CONTACT US

Range Servant AB

Skallebackavägen 11
302 41 Halmstad - Sweden

Phone: +46 35 10 92 40

sales@rangeservant.com

www.rangeservant.com



Miljömärkt trycksak
3041 0083